



AMERICAN CANYON FIRE PROTECTION DISTRICT
911 DONALDSON WAY, EAST
AMERICAN CANYON, CA 94503
PHONE 707-551-0650 FAX 707-642-0201

GLEN E WEEKS
FIRE CHIEF

GUIDELINE FOR OPERATIONAL PERMITS REQUIRED BY THE 2010 CALIFORNIA FIRE CODE

PURPOSE

The intent of this guideline is to identify the permits required by the 2010 California Fire Code, and issued by the American Canyon Fire Protection District.

SCOPE

Operational permit requirements are delineated in Chapter 1, Section 105.6 of the 2010 edition of the California Fire Code, as adopted by the American Canyon Fire Protection Board of Directors (Ord. 2011-01).

CONDITIONS

1. A permit shall constitute permission to maintain, store or handle materials; or to conduct processes which produce conditions hazardous to life or property. Such permission shall not be construed as authority to violate, cancel or set aside any other code, law or regulation.
2. A permit is issued for a specific period of time (Ex. annual vs. per event).
3. A permit is not transferrable and any change in use, occupancy, operation or ownership shall require a new permit.
4. A new application for a permit shall be completed and accompanied by adequate demonstration of intent to comply. Such demonstration may include, but not be limited to, the following:
 - a. A site plan of the facility showing the locations(s) of storage, use, handling or processes associated with the permit.
 - b. A floor plan showing the use of equipment and/or processes and/or storage of hazardous materials, which has been reviewed and approved by the American Canyon Fire Protection District. Such plan shall provide adequate proof of compliance to all applicable codes and standards.
 - c. A chemical classification inventory, when required.
 - d. Evidence of a current Hazardous Materials Business Emergency Plan, when required.
 - e. The applicable permit fee(s) shall be collected at the time of the application.

5. The 2012-2013 FY fee(s) for an operational permit(s) required by the Fire Code are set forth in the Schedule of Fees adopted by the American Canyon Fire Protection District and incorporated by reference in Ordinance No. 2012-02, Exhibit A.
6. An inspection shall be conducted prior to the issuance of a new operation permit(s). When departments and /or agencies enforce other laws and regulations, joint inspections should be coordinated and performed together when possible.
7. Permits shall be maintained on the premises designated and shall be posted in a conspicuous location.
8. Permits may be suspended or revoked when it is determined that:
 - a. The permit is used by another person or company other than the permittee.
 - b. The permit location is different.
 - c. Any conditions of the permit have been violated.
 - d. The permittee fails, refuses or neglects to comply with code requirements.
 - e. False statements and/or misrepresentations are made regarding the permit use or application.
 - f. The permit was issued in error or in violation of an ordinance, regulation or code.
9. Operational permits are specifically detailed in the California Fire Code (CFC) Chapter 1, Section 105.6. The following list identifies permit types. The CFC contains the language for specific requirements. Generally, permits are required for the following:

Required Operational Permits:

- | | |
|----------|---|
| 105.6.1 | Aerosol products |
| 105.6.2 | Amusement Buildings |
| 105.6.3 | Aviation facilities |
| 105.6.4 | Carnivals and fairs |
| 105.6.5 | Cellulose nitrate film |
| 105.6.6 | Combustible dust-producing operations |
| 105.6.7 | Combustible fibers |
| 105.6.8 | Compressed gases – per CFC Table 105.6.8 |
| 105.6.9 | Covered mall buildings |
| 105.6.10 | Cryogenic fluids – per CFC Table 105.6.10 |
| 105.6.11 | Cutting and welding |

- 105.6.12 Dry cleaning plants
- 105.6.13 Exhibits and trade shows
- 105.6.14 Explosives
- 105.6.16 Flammable or combustible liquids
 - 105.6.16.1 Flammable liquids; to use or operate a pipeline
 - 105.6.16.2 Flammable liquids > 5 gallons in building, 10 gallons outside
 - 105.6.16.3 Flammable liquids; Class II and III-A > 25 gallons in building, 60 gallons outside
 - 105.6.16.4 Flammable liquids; Class O or II from underground tank, not by approved means
 - 105.6.16.5 Flammable liquids; operate tank vehicles, equipment, plants, tanks, fuel dispensing, etc.
 - 105.6.16.6 Flammable liquids; to place a tank out of service
 - 105.6.16.7 Flammable liquids; change contents in flammable or combustible liquid tank
 - 105.6.16.8 Flammable liquids, manufacture, process, blend or refine flammable or combustible liquids
 - 105.6.16.9 Flammable liquids; to dispense fuel into motor vehicles at commercial, industrial, governmental or manufacturing establishments
 - 105.6.16.10 Flammable liquids; to use a site for dispensing from tank vehicles into fuel tanks at commercial, industrial, governmental or manufacturing establishments
- 105.6.17 Floor finishing
- 105.6.18 Fruit and crop ripening
- 105.6.19 Fumigation or thermal insecticidal fogging (NA)
- 105.6.20 Hazardous Materials – per CFC Table 105.6.20
- 105.6.21 Hazardous Production Materials (HPM) facilities
- 105.6.22 High-piled storage
- 105.6.23 Hot-work operations
 - 105.6.23.1 Hot-work operations; Public exhibitions
 - 105.6.23.2 Hot-work operations; Use of portable hot-work equipment inside a structure
 - 105.6.23.3 Hot -work operations; Fixed site hot-work equipment such as welding booths
 - 105.6.23.4 Hot-work operations; within a wildfire risk area
 - 105.6.23.5 Hot-work operations; application of roof coverings with open-flame device
 - 105.6.23.6 Hot-work operations; to carry out a Hot Work program by approved personnel

105.6.24	Industrial ovens
105.6.25	Lumber yards and woodworking plants
105.6.26	Liquid or gas-fueled vehicles or equipment in assembly buildings
105.6.27	LP-gas
105.6.28	Magnesium
105.6.29	Miscellaneous combustible storage
105.6.30	Open burning
105.6.31	Open flames and torches
105.6.32	Open flames and candles
105.6.33	Organic coatings
105.6.34	Places of assembly
105.6.36	Pyrotechnic special effects material
105.6.37	Pyroxlin plastics
105.6.38	Refrigeration equipment
105.6.39	Repair garages and motor fuel-dispensing facilities
105.6.41	Spraying and dipping
105.6.42	Storage of scrap tires and tire byproducts
105.6.43	Temporary membrane structures, tents and canopies
105.6.44	Tire rebuilding plants
105.6.45	Waste handling
105.6.46	Wood products
105.6.47.1	Production facilities
105.6.47.2	Pyrotechnic and special effects at production facilities
105.6.47.3	Live audiences in approved production facilities